

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB	2	0.75	8	4.6	72	Single row arrangement
YFFB	3	0.75	10.4	4.6	94	Single row arrangement
YFFB	4	0.75	13.7	4.6	123	Single row arrangement
YFFB	5	0.75	17.1	4.6	152	Single row arrangement
YFFB	6	0.75	19.4	4.6	175	Single row arrangement
YFFB	7	0.75	21.8	4.6	197	Single row arrangement
YFFB	8	0.75	24.1	4.6	219	Single row arrangement
YFFB	9	0.75	26.5	4.6	242	Single row arrangement
YFFB	10	0.75	28.8	4.6	264	Single row arrangement
YFFB	11	0.75	31.2	4.6	286	Single row arrangement
YFFB	12	0.75	33.5	4.6	309	Single row arrangement
YFFB	13	0.75	35.9	4.6	331	Single row arrangement
YFFB	14	0.75	39.2	4.6	360	Single row arrangement
YFFB	15	0.75	41.6	4.6	382	Single row arrangement
YFFB	16	0.75	43.9	4.6	405	Single row arrangement
YFFB	17	0.75	46.3	4.6	427	Single row arrangement
YFFB	18	0.75	49.6	4.6	456	Single row arrangement
YFFB	19	0.75	52	4.6	479	Single row arrangement
YFFB	20	0.75	54.3	4.6	501	Single row arrangement
YFFB	21	0.75	56.7	4.6	523	Single row arrangement
YFFB	22	0.75	59	4.6	546	Single row arrangement
YFFB	23	0.75	61.4	4.6	568	Single row arrangement
YFFB	24	0.75	64.7	4.6	597	Single row arrangement
YFFB	24	0.75	31.9	9	522	Plum blossom arrangement

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB	30	0.75	40.7	8.3	648	Plum blossom arrangement
YFFB	36	0.75	44.4	9	767	Plum blossom arrangement
YFFB	40	0.75	51.8	8.3	831	Plum blossom arrangement
YFFB	42	0.75	50.6	9	877	Plum blossom arrangement
YFFB	48	0.75	56.7	9	987	Plum blossom arrangement
YFFB	54	0.75	62.9	9	1097	Plum blossom arrangement
YFFB	60	0.75	69	9	1208	Plum blossom arrangement
YFFB	66	0.75	75.2	9	1318	Plum blossom arrangement
YFFB (G)	2	0.75	13.5	4.6	117	Single row arrangement (with wire)
YFFB (G)	3	0.75	15.9	4.6	138	Single row arrangement (with wire)
YFFB (G)	4	0.75	19.2	4.6	165	Single row arrangement (with wire)
YFFB (G)	5	0.75	22.6	4.6	192	Single row arrangement (with wire)
YFFB (G)	6	0.75	23.9	4.6	206	Single row arrangement (with wire)
YFFB (G)	7	0.75	27.3	4.6	234	Single row arrangement (with wire)
YFFB (G)	8	0.75	29.6	4.6	254	Single row arrangement (with wire)
YFFB (G)	9	0.75	32	4.6	275	Single row arrangement (with wire)
YFFB (G)	10	0.75	34.3	4.6	296	Single row arrangement (with wire)
YFFB (G)	11	0.75	36.7	4.6	316	Single row arrangement (with wire)
YFFB (G)	12	0.75	39	4.6	337	Single row arrangement

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB (G)	13	0.75	42	4.6	365	(with wire) Single row arrangement
YFFB (G)	14	0.75	45.4	4.6	392	(with wire) Single row arrangement
YFFB (G)	15	0.75	47.7	4.6	413	(with wire) Single row arrangement
YFFB (G)	16	0.75	50.1	4.6	434	(with wire) Single row arrangement
YFFB (G)	17	0.75	52.4	4.6	454	(with wire) Single row arrangement
YFFB (G)	18	0.75	55.8	4.6	482	(with wire) Single row arrangement
YFFB (G)	19	0.75	58.1	4.6	502	(with wire) Single row arrangement
YFFB (G)	20	0.75	60.5	4.6	523	(with wire) Single row arrangement
YFFB (G)	21	0.75	62.8	4.6	544	(with wire) Single row arrangement
YFFB (G)	22	0.75	65.2	4.6	564	(with wire) Single row arrangement
YFFB (G)	23	0.75	67.5	4.6	585	(with wire) Single row arrangement
YFFB (G)	24	0.75	70.9	4.6	612	(with wire) Single row arrangement
YFFB (G)	24	0.75	40.9	9	675	Plum blossom arrangement (with wire)
YFFB (G)	30	0.75	48.9	8.3	782	Plum blossom arrangement (with wire)
YFFB (G)	36	0.75	52.6	9	909	Plum blossom arrangement (with wire)
YFFB (G)	40	0.75	60	8.3	965	Plum blossom arrangement

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape (with wire)
YFFB (G)	42	0.75	59.8	9	1052	Plum blossom arrangement
YFFB (G)	48	0.75	65.9	9	1162	Plum blossom arrangement
YFFB (G)	54	0.75	72.1	9	1272	Plum blossom arrangement
YFFB (G)	60	0.75	78.2	9	1382	Plum blossom arrangement
YFFB	2	0.82	8.4	5.4	90.4	Single row arrangement
YFFB	3	0.82	11	5.4	117.6	Single row arrangement
YFFB	4	0.82	14.5	5.4	152.7	Single row arrangement
YFFB	5	0.82	18.1	5.4	187.8	Single row arrangement
YFFB	6	0.82	20.6	5.4	215.1	Single row arrangement
YFFB	7	0.82	23.2	5.4	242.3	Single row arrangement
YFFB	8	0.82	25.7	5.4	269.6	Single row arrangement
YFFB	9	0.82	28.3	5.4	296.9	Single row arrangement
YFFB	10	0.82	30.8	5.4	324.1	Single row arrangement
YFFB	11	0.82	33.4	5.4	351.4	Single row arrangement
YFFB	12	0.82	35.9	5.4	378.6	Single row arrangement
YFFB	13	0.82	38.5	5.4	405.9	Single row arrangement
YFFB	14	0.82	42	5.4	441	Single row arrangement
YFFB	15	0.82	44.6	5.4	468.2	Plum blossom arrangement
YFFB	16	0.82	47.1	5.4	495.5	Plum blossom arrangement
YFFB	17	0.82	49.7	5.4	522.8	Plum blossom arrangement
YFFB	18	0.82	53.2	5.4	557.9	Plum blossom arrangement
YFFB	19	0.82	55.8	5.4	585.1	Plum blossom

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB	20	0.82	58.3	5.4	612.4	arrangement Plum blossom arrangement
YFFB	21	0.82	60.9	5.4	639.6	arrangement Plum blossom arrangement
YFFB	22	0.82	63.4	5.4	666.9	arrangement Plum blossom arrangement
YFFB	23	0.82	66	5.4	694.2	arrangement Plum blossom arrangement
YFFB	24	0.82	69.5	5.4	729.2	arrangement Single row arrangement with wire
YFFB	24	0.82	37.9	10.5	675.5	arrangement Single row arrangement with wire
YFFB	30	0.82	48.8	9.7	842.7	arrangement Single row arrangement with wire
YFFB	36	0.82	53.4	10.5	1003	arrangement Single row arrangement with wire
YFFB	40	0.82	62.6	9.7	1084	arrangement Single row arrangement with wire
YFFB	42	0.82	61.1	10.5	1149	arrangement Single row arrangement with wire
YFFB	48	0.82	68.7	10.5	1295	arrangement Single row arrangement with wire
YFFB	54	0.82	76.4	10.5	1441	arrangement Single row arrangement with wire
YFFB	60	0.82	84	10.5	1587	arrangement Single row arrangement with wire
YFFB	66	0.82	91.7	10.5	1733	arrangement Single row arrangement with wire
YFFB (G)	2	0.82	13.9	5.4	145.5	arrangement Single row arrangement with wire
YFFB (G)	3	0.82	16.5	5.4	172.7	arrangement Single row arrangement with wire
YFFB (G)	4	0.82	20	5.4	207.8	arrangement Single row arrangement with wire

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB (G)	5	0.82	23.6	5.4	242.9	Single row arrangement with wire
YFFB (G)	6	0.82	25.1	5.4	262.3	Single row arrangement with wire
YFFB (G)	7	0.82	28.7	5.4	297.4	Single row arrangement with wire
YFFB (G)	8	0.82	31.2	5.4	324.7	Single row arrangement with wire
YFFB (G)	9	0.82	33.8	5.4	352	Single row arrangement with wire
YFFB (G)	10	0.82	36.3	5.4	379.2	Single row arrangement with wire
YFFB (G)	11	0.82	38.9	5.4	406.5	Single row arrangement with wire
YFFB (G)	12	0.82	41.4	5.4	433.7	Single row arrangement with wire
YFFB (G)	13	0.82	44.6	5.4	469.2	Single row arrangement with wire
YFFB (G)	14	0.82	48.2	5.4	504.3	Single row arrangement with wire
YFFB (G)	15	0.82	50.7	5.4	531.6	Single row arrangement with wire
YFFB (G)	16	0.82	53.3	5.4	558.8	Single row arrangement with wire
YFFB (G)	17	0.82	55.8	5.4	586.1	Single row arrangement with wire
YFFB (G)	18	0.82	59.4	5.4	621.2	Single row arrangement with wire
YFFB (G)	19	0.82	61.9	5.4	648.5	Single row arrangement with wire
YFFB (G)	20	0.82	64.5	5.4	675.7	Single row arrangement with wire

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB (G)	21	0.82	67	5.4	703	Single row arrangement with wire
YFFB (G)	22	0.82	69.6	5.4	730.2	Single row arrangement with wire
YFFB (G)	23	0.82	72.1	5.4	757.5	Single row arrangement with wire
YFFB (G)	24	0.82	75.7	5.4	792.6	Single row arrangement with wire
YFFB (G)	24	0.82	46.9	10.5	847.7	Plum blossom arrangement with wire
YFFB (G)	30	0.82	57	9.7	993.5	Plum blossom arrangement with wire
YFFB (G)	36	0.82	61.6	10.5	1163	Plum blossom arrangement with wire
YFFB (G)	40	0.82	70.8	9.7	1235	Plum blossom arrangement with wire
YFFB (G)	42	0.82	70.3	10.5	1344	Plum blossom arrangement with wire
YFFB (G)	48	0.82	77.9	10.5	1490	Plum blossom arrangement with wire
YFFB (G)	54	0.82	85.6	10.5	1636	Plum blossom arrangement (with wire)
YFFB (G)	60	0.82	93.2	10.5	1782	Plum blossom arrangement (with wire)
YFFB	2	1	8.4	4.8	85.7	Straight arrangement
YFFB	3	1	11	4.8	112	Straight arrangement
YFFB	4	1	14.5	4.8	145.3	Straight arrangement
YFFB	5	1	18.1	4.8	178.7	Straight arrangement
YFFB	6	1	20.6	4.8	205	Straight arrangement
YFFB	7	1	23.2	4.8	231.4	Straight arrangement

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB	8	1	25.7	4.8	257.7	Straight arrangement
YFFB	9	1	28.3	4.8	284.1	Straight arrangement
YFFB	10	1	30.8	4.8	310.4	Straight arrangement
YFFB	11	1	33.4	4.8	336.8	Straight arrangement
YFFB	12	1	35.9	4.8	363.2	Straight arrangement
YFFB	13	1	38.5	4.8	389.5	Straight arrangement
YFFB	14	1	42	4.8	422.8	Straight arrangement
YFFB	15	1	44.6	4.8	449.2	Straight arrangement
YFFB	16	1	47.1	4.8	475.5	Straight arrangement
YFFB	17	1	49.7	4.8	501.9	Straight arrangement
YFFB	18	1	53.2	4.8	535.2	Straight arrangement
YFFB	19	1	55.8	4.8	561.6	Straight arrangement
YFFB	20	1	58.3	4.8	587.9	Straight arrangement
YFFB	21	1	60.9	4.8	614.3	Straight arrangement
YFFB	22	1	63.4	4.8	640.6	Straight arrangement
YFFB	23	1	66	4.8	667	Straight arrangement
YFFB	24	1	69.5	4.8	700.3	Straight arrangement
YFFB	24	1	37.9	10.5	707.6	Plum blossom arrangement
YFFB	30	1	48.8	9.7	882.8	Plum blossom arrangement
YFFB	36	1	53.4	10.5	1052	Plum blossom arrangement
YFFB	40	1	62.6	9.7	1138	Plum blossom arrangement
YFFB	42	1	61.1	10.5	1206	Plum blossom arrangement
YFFB	48	1	68.7	10.5	1360	Plum blossom arrangement
YFFB	54	1	76.4	10.5	1514	Plum blossom arrangement

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB	60	1	84	10.5	1668	Plum blossom arrangement
YFFB	66	1	91.7	10.5	1822	Plum blossom arrangement
YFFB (G)	2	1	13.9	4.8	135.9	Straight arrangement (with wire)
YFFB (G)	3	1	16.5	4.8	162.3	Straight arrangement (with wire)
YFFB (G)	4	1	20	4.8	195.6	Straight arrangement (with wire)
YFFB (G)	5	1	23.6	4.8	228.9	Straight arrangement (with wire)
YFFB (G)	6	1	25.1	4.8	248.3	Straight arrangement (with wire)
YFFB (G)	7	1	28.7	4.8	281.6	Straight arrangement (with wire)
YFFB (G)	8	1	31.2	4.8	308	Straight arrangement (with wire)
YFFB (G)	9	1	33.8	4.8	334.4	Straight arrangement (with wire)
YFFB (G)	10	1	36.3	4.8	360.7	Straight arrangement (with wire)
YFFB (G)	11	1	38.9	4.8	387.1	Straight arrangement (with wire)
YFFB (G)	12	1	41.4	4.8	413.4	Straight arrangement (with wire)
YFFB (G)	13	1	44.6	4.8	447.4	Straight arrangement (with wire)
YFFB (G)	14	1	48.2	4.8	480.7	Straight arrangement (with wire)
YFFB (G)	15	1	50.7	4.8	507.1	Straight arrangement (with wire)
YFFB (G)	16	1	53.3	4.8	535.5	Straight arrangement

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB (G)	17	1	55.8	4.8	559.8	(with wire) Straight arrangement
YFFB (G)	18	1	59.4	4.8	593.1	(with wire) Straight arrangement
YFFB (G)	19	1	61.9	4.8	619.5	(with wire) Straight arrangement
YFFB (G)	20	1	64.5	4.8	645.8	(with wire) Straight arrangement
YFFB (G)	21	1	67	4.8	672.2	(with wire) Straight arrangement
YFFB (G)	22	1	69.6	4.8	698.6	(with wire) Straight arrangement
YFFB (G)	23	1	72.1	4.8	724.9	(with wire) Straight arrangement
YFFB (G)	24	1	75.7	4.8	758.2	(with wire) Straight arrangement
YFFB (G)	24	1	46.9	10.5	879.9	Plum blossom arrangement (with wire)
YFFB (G)	30	1	57	9.7	1034	Plum blossom arrangement (with wire)
YFFB (G)	36	1	61.6	10.5	1212	Plum blossom arrangement (with wire)
YFFB (G)	40	1	70.8	9.7	1289	Plum blossom arrangement (with wire)
YFFB (G)	42	1	70.3	10.5	1401	Plum blossom arrangement (with wire)
YFFB (G)	48	1	77.9	10.5	1555	Plum blossom arrangement (with wire)
YFFB (G)	54	1	85.6	10.5	1709	Plum blossom arrangement (with wire)
YFFB (G)	60	1	93.2	10.5	1863	Plum blossom arrangement

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape (with wire)
YFFB	2	1.25	9	6.2	103.2	Straight arrangement
YFFB	3	1.25	11.9	6.2	140.3	Straight arrangement
YFFB	4	1.25	15.8	6.2	186.4	Straight arrangement
YFFB	5	1.25	19.7	6.2	232.6	Straight arrangement
YFFB	6	1.25	22.6	6.2	269.7	Straight arrangement
YFFB	7	1.25	25.5	6.2	306.8	Straight arrangement
YFFB	8	1.25	28.4	6.2	343.8	Straight arrangement
YFFB	9	1.25	31.3	6.2	380.9	Straight arrangement
YFFB	10	1.25	34.2	6.2	418	Straight arrangement
YFFB	11	1.25	37.1	6.2	455.1	Straight arrangement
YFFB	12	1.25	40	6.2	492.2	Straight arrangement
YFFB	13	1.25	42.9	6.2	529.2	Straight arrangement
YFFB	14	1.25	46.8	6.2	575.4	Straight arrangement
YFFB	15	1.25	49.7	6.2	612.5	Straight arrangement
YFFB	16	1.25	52.6	6.2	649.5	Straight arrangement
YFFB	17	1.25	55.5	6.2	686.6	Straight arrangement
YFFB	18	1.25	59.4	6.2	732.8	Straight arrangement
YFFB	19	1.25	62.3	6.2	769.9	Straight arrangement
YFFB	20	1.25	65.2	6.2	806.9	Straight arrangement
YFFB	21	1.25	50.9	6.2	878.8	Straight arrangement
YFFB	22	1.25	71	6.2	881.1	Straight arrangement
YFFB	23	1.25	73.9	6.2	918.2	Straight arrangement
YFFB	24	1.25	77.8	6.2	964.3	Straight arrangement
YFFB	24	1.25	42	12	880.4	Plum blossom

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB	30	1.25	54.4	11.1	1107	Plum blossom arrangement
YFFB	36	1.25	59.6	12	1322	Plum blossom arrangement
YFFB	40	1.25	70	11.1	1436	Plum blossom arrangement
YFFB	42	1.25	68.3	12	1521	Plum blossom arrangement
YFFB	48	1.25	77	12	1719	Plum blossom arrangement
YFFB	54	1.25	85.7	12	1917	Plum blossom arrangement
YFFB	60	1.25	94.4	12	2115	Plum blossom arrangement
YFFB	66	1.25	103.1	12	2314	Plum blossom arrangement
YFFB (G)	2	1.25	14.5	6.2	165.2	Straight arrangement (with wire)
YFFB (G)	3	1.25	17.4	6.2	202.2	Straight arrangement (with wire)
YFFB (G)	4	1.25	21.3	6.2	248.4	Straight arrangement (with wire)
YFFB (G)	5	1.25	25.2	6.2	294.6	Straight arrangement (with wire)
YFFB (G)	6	1.25	27.1	6.2	322.5	Straight arrangement (with wire)
YFFB (G)	7	1.25	31	6.2	368.7	Straight arrangement (with wire)
YFFB (G)	8	1.25	33.9	6.2	405.8	Straight arrangement (with wire)
YFFB (G)	9	1.25	36.8	6.2	442.9	Straight arrangement (with wire)
YFFB (G)	10	1.25	39.7	6.2	479.9	Straight arrangement (with wire)
YFFB (G)	11	1.25	42.6	6.2	517	Straight arrangement (with wire)
YFFB	12	1.25	45.5	6.2	554.1	Straight arrangement

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
(G)						arrangement (with wire)
YFFB (G)	13	1.25	49.1	6.2	600.3	Straight arrangement (with wire)
YFFB (G)	14	1.25	53	6.2	646.4	Straight arrangement (with wire)
YFFB (G)	15	1.25	55.9	6.2	683.5	Straight arrangement (with wire)
YFFB (G)	16	1.25	58.8	6.2	720.6	Straight arrangement (with wire)
YFFB (G)	17	1.25	61.7	6.2	757.7	Straight arrangement (with wire)
YFFB (G)	18	1.25	65.6	6.2	803.8	Straight arrangement (with wire)
YFFB (G)	19	1.25	68.5	6.2	840.9	Straight arrangement (with wire)
YFFB (G)	20	1.25	71.4	6.2	878	Straight arrangement (with wire)
YFFB (G)	21	1.25	74.3	6.2	915.1	Straight arrangement (with wire)
YFFB (G)	22	1.25	77.2	6.2	952.1	Straight arrangement (with wire)
YFFB (G)	23	1.25	80.1	6.2	989.2	Single row arrangement (with wire)
YFFB (G)	24	1.25	84	6.2	1035	Single row arrangement (with wire)
YFFB (G)	24	1.25	51	12.5	1111	Plum blossom arrangement (with wire)
YFFB (G)	30	1.25	62.6	11.1	1276	Plum blossom arrangement (with wire)
YFFB (G)	36	1.25	67.8	12	1501	Plum blossom arrangement (with wire)
YFFB	40	1.25	78.2	11.1	1604	Plum blossom

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
(G)						arrangement (with wire)
YFFB (G)	42	1.25	77.5	12	1737	Plum blossom arrangement (with wire)
YFFB (G)	48	1.25	86.2	12	1935	Plum blossom arrangement (with wire)
YFFB (G)	54	1.25	94.9	12	2133	Plum blossom arrangement (with wire)
YFFB	2	1.5	9.3	5.8	114	Single row arrangement
YFFB	3	1.5	12.3	5.8	151.9	Single row arrangement
YFFB	4	1.5	16.3	5.8	198.4	Single row arrangement
YFFB	5	1.5	20.3	5.8	244.9	Single row arrangement
YFFB	6	1.5	23.3	5.8	282.8	Single row arrangement
YFFB	7	1.5	26.3	5.8	320.8	Single row arrangement
YFFB	8	1.5	29.3	5.8	358.8	Single row arrangement
YFFB	9	1.5	32.3	5.8	396.8	Single row arrangement
YFFB	10	1.5	35.3	5.8	434.7	Single row arrangement
YFFB	11	1.5	38.3	5.8	472.7	Single row arrangement
YFFB	12	1.5	41.3	5.8	510.7	Single row arrangement
YFFB	13	1.5	44.3	5.8	548.6	Single row arrangement
YFFB	14	1.5	48.3	5.8	595.1	Single row arrangement
YFFB	15	1.5	51.3	5.8	633.1	Single row arrangement
YFFB	16	1.5	54.3	5.8	671	Single row arrangement
YFFB	17	1.5	57.3	5.8	709	Single row arrangement
YFFB	18	1.5	61.3	5.8	755.5	Single row arrangement
YFFB	19	1.5	64.3	5.8	793.4	Single row arrangement
YFFB	20	1.5	67.3	5.8	831.4	Single row arrangement

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB	21	1.5	70.3	5.8	869.4	arrangement Single row arrangement
YFFB	22	1.5	73.3	5.8	907.4	arrangement Single row arrangement
YFFB	23	1.5	76.3	5.8	945.3	arrangement Single row arrangement
YFFB	24	1.5	80.3	5.8	991.8	arrangement Single row arrangement
YFFB	24	1.5	43.3	11.8	934.3	Plum blossom arrangement
YFFB	30	1.5	56.1	10.9	1172	Plum blossom arrangement
YFFB	36	1.5	61.5	11.8	1403	Plum blossom arrangement
YFFB	40	1.5	72.3	10.9	1518	Plum blossom arrangement
YFFB	42	1.5	70.5	11.8	1613	Plum blossom arrangement
YFFB	48	1.5	79.5	11.8	1823	Plum blossom arrangement
YFFB	54	1.5	88.5	11.8	2032	Plum blossom arrangement
YFFB	60	1.5	97.5	11.8	2242	Plum blossom arrangement
YFFB (G)	2	1.5	14.8	5.8	172.7	Straight arrangement (with wire)
YFFB (G)	3	1.5	17.8	5.8	210.7	Straight arrangement (with wire)
YFFB (G)	4	1.5	21.8	5.8	257.1	Straight arrangement (with wire)
YFFB (G)	5	1.5	25.8	5.8	303.6	Straight arrangement (with wire)
YFFB (G)	6	1.5	27.8	5.8	333.1	Straight arrangement (with wire)
YFFB (G)	7	1.5	31.8	5.8	379.5	Straight arrangement (with wire)
YFFB (G)	8	1.5	34.8	5.8	417.5	Straight arrangement (with wire)
YFFB (G)	9	1.5	37.8	5.8	455.5	Straight arrangement

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB (G)	10	1.5	40.8	5.8	493.4	(with wire) Straight arrangement
YFFB (G)	11	1.5	43.8	5.8	531.4	(with wire) Straight arrangement
YFFB (G)	12	1.5	46.8	5.8	569.4	(with wire) Straight arrangement
YFFB (G)	13	1.5	50.5	5.8	616	(with wire) Straight arrangement
YFFB (G)	14	1.5	54.5	5.8	662.5	(with wire) Straight arrangement
YFFB (G)	15	1.5	57.5	5.8	700.5	(with wire) Straight arrangement
YFFB (G)	16	1.5	60.5	5.8	738.5	(with wire) Straight arrangement
YFFB (G)	17	1.5	63.5	5.8	776.4	(with wire) Straight arrangement
YFFB (G)	18	1.5	67.5	5.8	822.9	(with wire) Straight arrangement
YFFB (G)	19	1.5	70.5	5.8	860.9	(with wire) Straight arrangement
YFFB (G)	20	1.5	73.5	5.8	898.8	(with wire) Straight arrangement
YFFB (G)	21	1.5	76.5	5.8	936.8	(with wire) Straight arrangement
YFFB (G)	22	1.5	79.5	5.8	974.8	(with wire) Straight arrangement
YFFB (G)	23	1.5	82.5	5.8	1013	(with wire) Straight arrangement
YFFB (G)	24	1.5	86.5	5.8	1059	(with wire) Straight arrangement
YFFB (G)	24	1.5	52.3	11.8	1124	Plum blossom arrangement

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape (with wire)
YFFB (G)	30	1.5	64.3	10.9	1337	Plum blossom arrangement
YFFB (G)	36	1.5	69.7	11.8	1579	Plum blossom arrangement
YFFB (G)	40	1.5	80.5	10.9	1684	Plum blossom arrangement
YFFB (G)	42	1.5	79.7	11.8	1826	Plum blossom arrangement
YFFB (G)	48	1.5	88.7	11.8	2036	Plum blossom arrangement
YFFB	2	2	9.7	6.2	130.5	Straight arrangement
YFFB	3	2	12.9	6.2	175.7	Straight arrangement
YFFB	4	2	17.1	6.2	230	Straight arrangement
YFFB	5	2	21.3	6.2	284.4	Straight arrangement
YFFB	6	2	24.5	6.2	329.6	Straight arrangement
YFFB	7	2	27.7	6.2	374.9	Straight arrangement
YFFB	8	2	30.9	6.2	420.1	Straight arrangement
YFFB	9	2	34.1	6.2	465.4	Straight arrangement
YFFB	10	2	37.3	6.2	510.6	Straight arrangement
YFFB	11	2	40.5	6.2	555.9	Straight arrangement
YFFB	12	2	43.7	6.2	601.1	Straight arrangement
YFFB	13	2	46.9	6.2	646.4	Straight arrangement
YFFB	14	2	51.1	6.2	700.7	Straight arrangement
YFFB	15	2	54.3	6.2	746	Straight arrangement
YFFB	16	2	57.5	6.2	791.2	Straight arrangement
YFFB	17	2	60.7	6.2	836.5	Straight arrangement

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB	18	2	64.9	6.2	890.8	Straight arrangement
YFFB	19	2	68.1	6.2	936.1	Straight arrangement
YFFB	20	2	71.3	6.2	981.3	Straight arrangement
YFFB	21	2	74.5	6.2	1027	Straight arrangement
YFFB	22	2	77.7	6.2	1072	Straight arrangement
YFFB	23	2	80.9	6.2	1117	Straight arrangement (with wire)
YFFB	24	2	85.1	6.2	1171	Straight arrangement (with wire)
YFFB	24	2	45.7	12.6	1101	Plum blossom arrangement
YFFB	30	2	59.3	11.6	1384	Plum blossom arrangement
YFFB	36	2	65.1	12.6	1658	Plum blossom arrangement
YFFB	40	2	76.6	11.6	1798	Plum blossom arrangement
YFFB	42	2	74.7	12.6	1909	Plum blossom arrangement
YFFB	48	2	84.3	12.6	2160	Plum blossom arrangement
YFFB	54	2	93.9	12.6	2411	Plum blossom arrangement
YFFB	60	2	103.5	12.6	2662	Plum blossom arrangement
YFFB (G)	2	2	15.2	6.2	192.4	Straight arrangement (with wire)
YFFB (G)	3	2	18.4	6.2	237.7	Straight arrangement (with wire)
YFFB (G)	4	2	22.6	6.2	292	Single row arrangement (with wire)
YFFB (G)	5	2	26.8	6.2	346.3	Single row arrangement (with wire)
YFFB (G)	6	2	29	6.2	382.5	Single row arrangement (with wire)
YFFB	7	2	35.2	6.2	446.9	Single row

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
(G)						arrangement (with wire)
YFFB (G)	8	2	36.4	6.2	482.1	Single row arrangement (with wire)
YFFB (G)	9	2	39.6	6.2	527.3	Single row arrangement (with wire)
YFFB (G)	10	2	42.8	6.2	572.6	Single row arrangement (with wire)
YFFB (G)	11	2	46	6.2	617.8	Single row arrangement (with wire)
YFFB (G)	12	2	49.2	6.2	663.1	Single row arrangement (with wire)
YFFB (G)	13	2	53.1	6.2	717.4	Single row arrangement (with wire)
YFFB (G)	14	2	57.3	6.2	771.8	Single row arrangement (with wire)
YFFB (G)	15	2	60.5	6.2	817	Single row arrangement (with wire)
YFFB (G)	16	2	63.7	6.2	862.3	Single row arrangement (with wire)
YFFB (G)	17	2	66.9	6.2	907.5	Single row arrangement (with wire)
YFFB (G)	18	2	71.1	6.2	961.8	Single row arrangement (with wire)
YFFB (G)	19	2	74.3	6.2	1007	Single row arrangement (with wire)
YFFB (G)	20	2	77.5	6.2	1052	Single row arrangement (with wire)
YFFB (G)	21	2	80.7	6.2	1098	Single row arrangement (with wire)
YFFB (G)	22	2	83.9	6.2	1143	Single row arrangement (with wire)
YFFB	23	2	87.1	6.2	1188	Single row

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
(G)						arrangement (with wire)
YFFB (G)	24	2	91.3	6.2	1242	Single row arrangement (with wire)
YFFB (G)	24	2	54.7	12.6	1302	Plum blossom arrangement (with wire)
YFFB (G)	30	2	67.5	11.6	1558	Plum blossom arrangement (with wire)
YFFB (G)	36	2	73.3	12.6	1844	Plum blossom arrangement (with wire)
YFFB (G)	40	2	84.8	11.6	1972	Plum blossom arrangement (with wire)
YFFB (G)	42	2	83.9	12.6	2133	Plum blossom arrangement (with wire)
YFFB (G)	48	2	93.5	12.6	2384	Plum blossom arrangement (with wire)
YFFB	2	2.5	10.5	6.6	150.3	Single row arrangement
YFFB	3	2.5	14.1	6.6	204.5	Single row arrangement
YFFB	4	2.5	18.7	6.6	268.4	Single row arrangement
YFFB	5	2.5	23.3	6.6	332.3	Single row arrangement
YFFB	6	2.5	26.9	6.6	386.5	Single row arrangement
YFFB	7	2.5	30.5	6.6	440.7	Single row arrangement
YFFB	8	2.5	36	6.6	513.3	Single row arrangement
YFFB	9	2.5	37.7	6.6	549.1	Single row arrangement
YFFB	10	2.5	41.3	6.6	603.3	Single row arrangement
YFFB	11	2.5	44.9	6.6	657.5	Single row arrangement
YFFB	12	2.5	48.5	6.6	711.8	Single row arrangement
YFFB	13	2.5	52.1	6.6	766	Single row arrangement
YFFB	14	2.5	56.7	6.6	829.8	Single row arrangement

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB	15	2.5	60.3	6.6	884.1	arrangement Single row arrangement
YFFB	16	2.5	63.9	6.6	938.3	Single row arrangement
YFFB	17	2.5	67.5	6.6	992.5	Single row arrangement
YFFB	18	2.5	72.1	6.6	1056	Single row arrangement
YFFB	19	2.5	75.7	6.6	1111	Single row arrangement
YFFB	20	2.5	79.3	6.6	1165	Single row arrangement
YFFB	21	2.5	82.9	6.6	1219	Single row arrangement
YFFB	22	2.5	86.5	6.6	1273	Single row arrangement
YFFB	23	2.5	90.1	6.6	1327	Single row arrangement
YFFB	24	2.5	94.7	6.6	1391	Single row arrangement
YFFB	24	2.5	50.5	13.8	1318	Plum blossom arrangement
YFFB	30	2.5	65.8	12.7	1661	Plum blossom arrangement
YFFB	36	2.5	72.3	13.8	1997	Plum blossom arrangement
YFFB	40	2.5	85.3	12.7	2164	Plum blossom arrangement
YFFB	42	2.5	83.1	13.8	2302	Plum blossom arrangement
YFFB	48	2.5	93.9	13.8	2607	Plum blossom arrangement
YFFB	54	2.5	104.7	13.8	2912	Plum blossom arrangement
YFFB (G)	2	2.5	16	6.6	215.5	Single row arrangement (with wire)
YFFB (G)	3	2.5	19.6	6.6	269.7	Single row arrangement (with wire)
YFFB (G)	4	2.5	24.2	6.6	333.6	Single row arrangement (with wire)
YFFB (G)	5	2.5	28.8	6.6	397.4	Single row arrangement (with wire)
YFFB	6	2.5	31.4	6.6	442	Single row arrangement

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
(G)						arrangement (with wire)
YFFB (G)	7	2.5	38	6.6	517.2	Single row arrangement (with wire)
YFFB (G)	8	2.5	39.6	6.6	560.1	Single row arrangement (with wire)
YFFB (G)	9	2.5	43.2	6.6	614.3	Single row arrangement (with wire)
YFFB (G)	10	2.5	46.8	6.6	668.5	Single row arrangement (with wire)
YFFB (G)	11	2.5	50.4	6.6	722.7	Single row arrangement (with wire)
YFFB (G)	12	2.5	54	6.6	776.9	Single row arrangement (with wire)
YFFB (G)	13	2.5	58.3	6.6	840.6	Single row arrangement (with wire)
YFFB (G)	14	2.5	62.9	6.6	904.5	Single row arrangement (with wire)
YFFB (G)	15	2.5	66.5	6.6	958.7	Single row arrangement (with wire)
YFFB (G)	16	2.5	70.1	6.6	1013	Single row arrangement (with wire)
YFFB (G)	17	2.5	73.7	6.6	1067	Single row arrangement (with wire)
YFFB (G)	18	2.5	78.3	6.6	1131	Single row arrangement (with wire)
YFFB (G)	19	2.5	81.9	6.6	1185	Single row arrangement (with wire)
YFFB (G)	20	2.5	85.5	6.6	1239	Single row arrangement (with wire)
YFFB (G)	21	2.5	89.1	6.6	1294	Single row arrangement (with wire)
YFFB	22	2.5	92.7	6.6	1348	Single row arrangement (with wire)

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
(G)						arrangement (with wire)
YFFB (G)	23	2.5	96.3	6.6	1402	Single row arrangement (with wire)
YFFB (G)	24	2.5	100.9	6.6	1466	Single row arrangement (with wire)
YFFB (G)	24	2.5	59.5	13.8	1535	Plum blossom arrangement (with wire)
YFFB (G)	30	2.5	74	12.7	1849	Plum blossom arrangement (with wire)
YFFB (G)	36	2.5	80.5	13.8	2197	Plum blossom arrangement (with wire)
YFFB (G)	40	2.5	93.5	12.7	2352	Plum blossom arrangement (with wire)
YFFB (G)	42	2.5	92.3	13.8	2542	Plum blossom arrangement (with wire)
YFFB	2	3	11.3	6.9	169.4	Single row arrangement
YFFB	3	3	15.3	6.9	232.5	Single row arrangement
YFFB	4	3	20.3	6.9	305.6	Single row arrangement
YFFB	5	3	25.3	6.9	378.7	Single row arrangement
YFFB	6	3	29.3	6.9	441.8	Single row arrangement
YFFB	7	3	33.3	6.9	504.8	Single row arrangement
YFFB	8	3	37.3	6.9	567.9	Single row arrangement
YFFB	9	3	41.3	6.9	630.9	Single row arrangement
YFFB	10	3	45.3	6.9	693.9	Single row arrangement
YFFB	11	3	49.3	6.9	757	Single row arrangement
YFFB	12	3	53.3	6.9	820	Single row arrangement
YFFB	13	3	57.3	6.9	883.1	Single row arrangement
YFFB	14	3	62.3	6.9	956.2	Single row arrangement

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB	15	3	66.3	6.9	1019	arrangement Single row arrangement
YFFB	16	3	70.3	6.9	1082	Single row arrangement
YFFB	17	3	74.3	6.9	1145	Single row arrangement
YFFB	18	3	79.3	6.9	1219	Single row arrangement
YFFB	19	3	83.3	6.9	1282	Single row arrangement
YFFB	20	3	87.3	6.9	1345	Single row arrangement
YFFB	21	3	91.3	6.9	1408	Single row arrangement
YFFB	22	3	95.3	6.9	1471	Single row arrangement
YFFB	23	3	99.3	6.9	1534	Single row arrangement
YFFB	24	3	104.3	6.9	1607	Single row arrangement
YFFB	24	3	55.3	14.9	1539	Plum blossom arrangement
YFFB	30	3	72.3	13.7	1945	Plum blossom arrangement
YFFB	36	3	79.5	14.9	2344	Plum blossom arrangement
YFFB	40	3	93.9	13.7	2538	Plum blossom arrangement
YFFB	42	3	91.5	14.9	2705	Plum blossom arrangement
YFFB	48	3	103.5	14.9	3066	Plum blossom arrangement
YFFB (G)	2	3	16.8	6.9	237	Single row arrangement (with wire)
YFFB (G)	3	3	20.8	6.9	300	Single row arrangement (with wire)
YFFB (G)	4	3	25.8	6.9	373.2	Single row arrangement (with wire)
YFFB (G)	5	3	30.8	6.9	446.3	Single row arrangement (with wire)
YFFB (G)	6	3	33.8	6.9	499.3	Single row arrangement (with wire)

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB (G)	7	3	38.8	6.9	572.4	Single row arrangement (with wire)
YFFB (G)	8	3	42.8	6.9	635.4	Single row arrangement (with wire)
YFFB (G)	9	3	46.8	6.9	698.5	Single row arrangement (with wire)
YFFB (G)	10	3	50.8	6.9	761.5	Single row arrangement (with wire)
YFFB (G)	11	3	54.8	6.9	824.6	Single row arrangement (with wire)
YFFB (G)	12	3	58.8	6.9	887.6	Single row arrangement (with wire)
YFFB (G)	13	3	63.5	6.9	960.4	Single row arrangement (with wire)
YFFB (G)	14	3	68.5	6.9	1034	Single row arrangement (with wire)
YFFB (G)	15	3	72.5	6.9	1097	Single row arrangement (with wire)
YFFB (G)	16	3	76.5	6.9	1160	Single row arrangement (with wire)
YFFB (G)	17	3	80.5	6.9	1223	Single row arrangement (with wire)
YFFB (G)	18	3	85.5	6.9	1296	Single row arrangement (with wire)
YFFB (G)	19	3	89.5	6.9	1359	Single row arrangement (with wire)
YFFB (G)	20	3	93.5	6.9	1422	Single row arrangement (with wire)
YFFB (G)	21	3	97.5	6.9	1485	Single row arrangement (with wire)
YFFB (G)	22	3	101.5	6.9	1548	Single row arrangement (with wire)

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB (G)	24	3	64.3	14.9	1770	Plum blossom arrangement (with wire)
YFFB (G)	30	3	80.5	13.7	2144	Plum blossom arrangement (with wire)
YFFB (G)	36	3	87.7	14.9	2558	Plum blossom arrangement (with wire)
YFFB (G)	40	3	102.1	13.7	2737	Plum blossom arrangement (with wire)
YFFB (G)	42	3	100.7	14.9	2960	Plum blossom arrangement (with wire)
YFFB	2	3.5	11.7	7.1	186.5	Single row arrangement
YFFB	3	3.5	15.9	7.1	257.6	Single row arrangement
YFFB	4	3.5	21.1	7.1	339	Single row arrangement
YFFB	5	3.5	26.3	7.1	420.5	Single row arrangement
YFFB	6	3.5	30.5	7.1	491.6	Single row arrangement
YFFB	7	3.5	34.7	7.1	562.7	Single row arrangement
YFFB	8	3.5	38.9	7.1	633.8	Single row arrangement
YFFB	9	3.5	43.1	7.1	704.9	Single row arrangement
YFFB	10	3.5	47.3	7.1	775.9	Single row arrangement
YFFB	11	3.5	51.5	7.1	847	Single row arrangement
YFFB	12	3.5	55.7	7.1	918.1	Single row arrangement
YFFB	13	3.5	59.9	7.1	989.2	Single row arrangement
YFFB	14	3.5	65.1	7.1	1071	Single row arrangement
YFFB	15	3.5	69.3	7.1	1142	Single row arrangement
YFFB	16	3.5	73.5	7.1	1213	Single row arrangement
YFFB	17	3.5	77.7	7.1	1284	Single row arrangement
YFFB	18	3.5	82.9	7.1	1365	Single row arrangement

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB	19	3.5	87.1	7.1	1437	arrangement Single row arrangement
YFFB	20	3.5	91.3	7.1	1508	Single row arrangement
YFFB	21	3.5	95.5	7.1	1579	Single row arrangement
YFFB	22	3.5	99.7	7.1	1650	Single row arrangement
YFFB	23	3.5	103.9	7.1	1721	Single row arrangement
YFFB	24	3.5	57.7	7.1	1735	Plum blossom arrangement
YFFB	30	3.5	75.5	7.1	2193	Plum blossom arrangement
YFFB	36	3.5	83.1	7.1	2646	Plum blossom arrangement
YFFB	40	3.5	98.2	7.1	2867	Plum blossom arrangement
YFFB	42	3.5	95.7	7.1	3056	Plum blossom arrangement
YFFB (G)	2	3.5	17.2	7.1	255.7	Single row arrangement (with wire)
YFFB (G)	3	3.5	21.4	7.1	326.8	Single row arrangement (with wire)
YFFB (G)	4	3.5	26.6	7.1	408.2	Single row arrangement (with wire)
YFFB (G)	5	3.5	31.8	7.1	489.7	Single row arrangement (with wire)
YFFB (G)	6	3.5	35	7.1	550.4	Single row arrangement (with wire)
YFFB (G)	7	3.5	40.2	7.1	631.9	Single row arrangement (with wire)
YFFB (G)	8	3.5	44.4	7.1	703	Single row arrangement (with wire)
YFFB (G)	9	3.5	48.6	7.1	774	Single row arrangement (with wire)
YFFB (G)	10	3.5	52.8	7.1	845.1	Single row arrangement (with wire)

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB (G)	11	3.5	57	7.1	916.2	Single row arrangement (with wire)
YFFB (G)	12	3.5	61.2	7.1	987.3	Single row arrangement (with wire)
YFFB (G)	13	3.5	66.1	7.1	1068	Single row arrangement (with wire)
YFFB (G)	14	3.5	71.3	7.1	1150	Single row arrangement (with wire)
YFFB (G)	15	3.5	75.5	7.1	1221	Single row arrangement (with wire)
YFFB (G)	16	3.5	79.7	7.1	1292	Single row arrangement (with wire)
YFFB (G)	17	3.5	83.9	7.1	1363	Single row arrangement (with wire)
YFFB (G)	18	3.5	89.1	7.1	1445	Single row arrangement (with wire)
YFFB (G)	19	3.5	93.3	7.1	1516	Single row arrangement (with wire)
YFFB (G)	20	3.5	97.5	7.1	1587	Single row arrangement (with wire)
YFFB (G)	21	3.5	101.7	7.1	1658	Single row arrangement (with wire)
YFFB (G)	24	3.5	66.7	15.5	1974	Plum blossom arrangement (with wire)
YFFB (G)	30	3.5	83.7	14.2	2398	Plum blossom arrangement (with wire)
YFFB (G)	36	3.5	91.3	15.5	2867	Plum blossom arrangement (with wire)
YFFB	2	4	12.1	7.3	201.1	Single row arrangement
YFFB	3	4	16.5	7.3	279	Single row arrangement
YFFB	4	4	21.9	7.3	367.7	Single row arrangement

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB	5	4	27.3	7.3	456.3	Single row arrangement
YFFB	6	4	31.7	7.3	534.2	Single row arrangement
YFFB	7	4	36.1	7.3	612.1	Single row arrangement
YFFB	8	4	40.5	7.3	690	Single row arrangement
YFFB	9	4	44.9	7.3	768	Single row arrangement
YFFB	10	4	49.3	7.3	845.9	Single row arrangement
YFFB	11	4	53.7	7.3	923.8	Single row arrangement
YFFB	12	4	58.1	7.3	1002	Single row arrangement
YFFB	13	4	62.5	7.3	1080	Single row arrangement
YFFB	14	4	67.9	7.3	1168	Single row arrangement
YFFB	15	4	72.3	7.3	1246	Single row arrangement
YFFB	16	4	76.7	7.3	1324	Single row arrangement
YFFB	17	4	81.1	7.3	1402	Single row arrangement
YFFB	18	4	86.5	7.3	1491	Single row arrangement
YFFB	19	4	90.9	7.3	1569	Single row arrangement
YFFB	20	4	95.3	7.3	1647	Single row arrangement
YFFB	21	4	99.7	7.3	1724	Single row arrangement
YFFB	22	4	104.1	7.3	1802	Single row arrangement
YFFB	24	4	60.1	16.1	1902	Plum blossom arrangement
YFFB	30	4	78.8	14.8	2406	Plum blossom arrangement
YFFB	36	4	86.7	16.1	2905	Plum blossom arrangement
YFFB	40	4	102.5	14.8	3149	Plum blossom arrangement
YFFB	42	4	99.9	16.1	3358	Plum blossom arrangement
YFFB (G)	2	4	17.6	7.3	271.9	Single row arrangement

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB (G)	3	4	22	7.3	349.9	(with wire) Single row arrangement
YFFB (G)	4	4	27.4	7.3	438.5	(with wire) Single row arrangement
YFFB (G)	5	4	32.8	7.3	527.1	(with wire) Single row arrangement
YFFB (G)	6	4	36.2	7.3	594.3	(with wire) Single row arrangement
YFFB (G)	7	4	41.6	7.3	682.9	(with wire) Single row arrangement
YFFB (G)	8	4	46	7.3	760.8	(with wire) Single row arrangement
YFFB (G)	9	4	50.4	7.3	838.8	(with wire) Single row arrangement
YFFB (G)	10	4	54.8	7.3	916.7	(with wire) Single row arrangement
YFFB (G)	11	4	59.2	7.3	994.6	(with wire) Single row arrangement
YFFB (G)	12	4	63.6	7.3	1073	(with wire) Single row arrangement
YFFB (G)	13	4	68.7	7.3	1161	(with wire) Single row arrangement
YFFB (G)	14	4	74.1	7.3	1249	(with wire) Single row arrangement
YFFB (G)	15	4	78.5	7.3	1327	(with wire) Single row arrangement
YFFB (G)	16	4	82.9	7.3	1405	(with wire) Single row arrangement
YFFB (G)	17	4	87.3	7.3	1483	(with wire) Single row arrangement
YFFB (G)	18	4	92.7	7.3	1572	(with wire) Single row arrangement

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB (G)	19	4	97.1	7.3	1650	(with wire) Single row arrangement
YFFB (G)	20	4	101.5	7.3	1728	(with wire) Single row arrangement
YFFB (G)	24	4	69.1	16.1	2148	Plum blossom arrangement (with wire)
YFFB (G)	30	4	87	14.8	2618	Plum blossom arrangement (with wire)
YFFB (G)	36	4	94.9	16.1	3133	Plum blossom arrangement (with wire)
YFFB	2	5.5	13.3	7.9	243.6	Single row arrangement
YFFB	3	5.5	18.3	7.9	341.3	Single row arrangement
YFFB	4	5.5	24.3	7.9	450.6	Single row arrangement
YFFB	5	5.5	30.3	7.9	559.9	Single row arrangement
YFFB	6	5.5	35.3	7.9	657.6	Single row arrangement
YFFB	7	5.5	40.3	7.9	755.4	Single row arrangement
YFFB	8	5.5	45.3	7.9	853.1	Single row arrangement
YFFB	9	5.5	50.3	7.9	950.8	Single row arrangement
YFFB	10	5.5	55.3	7.9	1049	Single row arrangement
YFFB	11	5.5	60.3	7.9	1146	Single row arrangement
YFFB	12	5.5	65.3	7.9	1244	Single row arrangement
YFFB	13	5.5	70.3	7.9	1342	Single row arrangement
YFFB	14	5.5	76.3	7.9	1451	Single row arrangement
YFFB	15	5.5	81.3	7.9	1549	Single row arrangement
YFFB	16	5.5	86.3	7.9	1646	Single row arrangement
YFFB	17	5.5	91.3	7.9	1744	Single row arrangement

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB	18	5.5	97.3	7.9	1853	Single row arrangement
YFFB	19	5.5	102.3	7.9	1951	Single row arrangement
YFFB	24	5.5	67.3	17.9	2387	Plum blossom arrangement
YFFB	30	5.5	88.5	16.4	3026	Plum blossom arrangement
YFFB	36	5.5	97.5	17.9	3664	Plum blossom arrangement
YFFB (G)	2	5.5	21.3	7.9	370.7	Single row arrangement (with wire)
YFFB (G)	3	5.5	26.3	7.9	468.4	Single row arrangement (with wire)
YFFB (G)	4	5.5	32.3	7.9	577.7	Single row arrangement (with wire)
YFFB (G)	5	5.5	38.3	7.9	687	Single row arrangement (with wire)
YFFB (G)	6	5.5	42.3	7.9	773.2	Single row arrangement (with wire)
YFFB (G)	7	5.5	48.3	7.9	882.4	Single row arrangement (with wire)
YFFB (G)	8	5.5	53.3	7.9	980.2	Single row arrangement (with wire)
YFFB (G)	9	5.5	58.3	7.9	1078	Single row arrangement (with wire)
YFFB (G)	10	5.5	63.3	7.9	1176	Single row arrangement (with wire)
YFFB (G)	11	5.5	68.3	7.9	1273	Single row arrangement (with wire)
YFFB (G)	12	5.5	73.3	7.9	1371	Single row arrangement (with wire)
YFFB (G)	13	5.5	78.3	7.9	1469	Single row arrangement (with wire)
YFFB (G)	14	5.5	84.3	7.9	1578	Single row arrangement

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB (G)	15	5.5	89.3	7.9	1676	(with wire) Single row arrangement
YFFB (G)	16	5.5	94.3	7.9	1774	(with wire) Single row arrangement
YFFB (G)	17	5.5	99.3	7.9	1871	(with wire) Plum blossom arrangement
YFFB (G)	24	5.5	76.3	17.9	2657	(with wire) Plum blossom arrangement
YFFB (G)	30	5.5	96.7	16.4	3258	(with wire) Plum blossom arrangement
YFFB	2	6	13.5	8	259.4	Single row arrangement
YFFB	3	6	18.6	8	364.7	Single row arrangement
YFFB	4	6	26.9	8	507.6	Single row arrangement
YFFB	5	6	32	8	612.9	Single row arrangement
YFFB	6	6	38.7	8	737	Single row arrangement
YFFB	7	6	42.2	8	823.6	Single row arrangement
YFFB	8	6	48.9	8	947.77	Single row arrangement
YFFB	9	6	54	8	1053	Single row arrangement
YFFB	10	6	59.1	8	1158	Single row arrangement
YFFB	11	6	62.6	8	1245	Single row arrangement
YFFB	12	6	67.7	8	1350	Single row arrangement
YFFB	13	6	72.8	8	1456	Single row arrangement
YFFB	14	6	79.5	8	1580	Single row arrangement
YFFB	15	6	84.6	8	1685	Single row arrangement
YFFB	16	6	89.7	8	1791	Single row arrangement
YFFB	17	6	94.8	8	1896	Single row arrangement

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB	18	6	101.5	8	2020	Single row arrangement
YFFB	24	6	68.7	18.2	2577	Plum blossom arrangement
YFFB	30	6	90.1	16.7	3260	Plum blossom arrangement
YFFB	36	6	99.3	18.2	3947	Plum blossom arrangement
YFFB (G)	2	6	22.5	8	419.1	Single row arrangement (with wire)
YFFB (G)	3	6	27.6	8	524.5	Single row arrangement (with wire)
YFFB (G)	4	6	35.9	8	667.3	Single row arrangement (with wire)
YFFB (G)	5	6	41	8	772.6	Single row arrangement (with wire)
YFFB (G)	6	6	46.1	8	878	Single row arrangement (with wire)
YFFB (G)	7	6	51.2	8	983.3	Single row arrangement (with wire)
YFFB (G)	8	6	57.9	8	1107	Single row arrangement (with wire)
YFFB (G)	9	6	63	8	1213	Single row arrangement (with wire)
YFFB (G)	10	6	68.1	8	1318	Single row arrangement (with wire)
YFFB (G)	11	6	71.6	8	1405	Single row arrangement (with wire)
YFFB (G)	12	6	76.7	8	1510	Single row arrangement (with wire)
YFFB (G)	13	6	81.8	8	1615	Single row arrangement (with wire)
YFFB (G)	14	6	88.5	8	1740	Single row arrangement (with wire)
YFFB	15	6	93.6	8	1845	Single row arrangement

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
(G)						arrangement (with wire)
YFFB (G)	16	6	98.7	8	1950	Single row arrangement (with wire)
YFFB (G)	17	6	103.8	8	2056	Single row arrangement (with wire)
YFFB (G)	24	6	78.7	18.2	2898	Plum blossom arrangement (with wire)
YFFB (G)	30	6	99.3	16.7	3539	Plum blossom arrangement (with wire)
YFFB	2	8	14.9	8.7	320.5	Single row arrangement
YFFB	3	8	20.7	8.7	454.8	Single row arrangement
YFFB	4	8	30.1	8.7	634.9	Single row arrangement
YFFB	5	8	35.9	8.7	769.1	Single row arrangement
YFFB	6	8	43.5	8.7	926.3	Single row arrangement
YFFB	7	8	47.5	8.7	1038	Single row arrangement
YFFB	8	8	55.1	8.7	1195	Single row arrangement
YFFB	9	8	60.9	8.7	1329	Single row arrangement
YFFB	10	8	66.7	8.7	1463	Single row arrangement
YFFB	11	8	70.7	8.7	1575	Single row arrangement
YFFB	12	8	76.5	8.7	1709	Single row arrangement
YFFB	13	8	82.3	8.7	1843	Single row arrangement
YFFB	14	8	89.9	8.7	2000	Single row arrangement
YFFB	15	8	95.7	8.7	2135	Single row arrangement
YFFB	16	8	101.5	8.7	2269	Single row arrangement
YFFB	24	8	77.5	20.3	3299	Plum blossom arrangement
YFFB	30	8	101.5	18.6	4166	Plum blossom arrangement

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB (G)	2	8	23.9	8.7	489.5	Single row arrangement (with wire)
YFFB (G)	3	8	29.7	8.7	623.7	Single row arrangement (with wire)
YFFB (G)	4	8	39.1	8.7	803.9	Single row arrangement (with wire)
YFFB (G)	5	8	44.9	8.7	938.1	Single row arrangement (with wire)
YFFB (G)	6	8	50.7	8.7	1072	Single row arrangement (with wire)
YFFB (G)	7	8	56.5	8.7	1207	Single row arrangement (with wire)
YFFB (G)	8	8	64.1	8.7	1364	Single row arrangement (with wire)
YFFB (G)	9	8	69.9	8.7	1498	Single row arrangement (with wire)
YFFB (G)	10	8	75.7	8.7	1632	Straight arrangement (with wire)
YFFB (G)	11	8	79.7	8.7	1744	Straight arrangement (with wire)
YFFB (G)	12	8	85.5	8.7	1878	Straight arrangement (with wire)
YFFB	2	10	17.1	9.7	394.9	Straight arrangement
YFFB	3	10	24	9.7	563.9	Straight arrangement
YFFB	4	10	34.5	9.7	784.1	Straight arrangement
YFFB	5	10	41.4	9.7	953.1	Straight arrangement
YFFB	6	10	50.1	9.7	1148	Straight arrangement
YFFB	7	10	55.2	9.7	1291	Straight arrangement
YFFB	8	10	63.9	9.7	1486	Straight arrangement
YFFB	9	10	70.8	9.7	1655	Straight

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB	10	10	77.7	9.7	1824	arrangement Straight arrangement
YFFB	11	10	82.8	9.7	1967	arrangement Straight arrangement
YFFB	12	10	89.7	9.7	2136	arrangement Straight arrangement
YFFB	13	10	96.6	9.7	2305	arrangement Straight arrangement
YFFB	24	10	90.7	23.5	4179	Plum blossom arrangement Straight arrangement
YFFB (G)	2	10	26.1	9.7	577.1	arrangement (with wire)
YFFB (G)	3	10	33	9.7	746.1	arrangement (with wire)
YFFB (G)	4	10	43.5	9.7	966.2	arrangement (with wire)
YFFB (G)	5	10	50.4	9.7	1135	arrangement (with wire)
YFFB (G)	6	10	57.3	9.7	1304	arrangement (with wire)
YFFB (G)	7	10	64.2	9.7	1473	arrangement (with wire)
YFFB (G)	8	10	72.9	9.7	1668	arrangement (with wire)
YFFB (G)	9	10	79.8	9.7	1837	arrangement (with wire)
YFFB (G)	10	10	86.7	9.7	2006	arrangement (with wire)
YFFB (G)	11	10	91.8	9.7	2149	arrangement (with wire)
YFFB	2	14	17.9	10.1	484.6	arrangement Straight arrangement
YFFB	3	14	25.2	10.1	697.5	arrangement Straight arrangement
YFFB	4	14	36.1	10.1	1027	arrangement Straight arrangement
YFFB	5	14	43.4	10.1	1177	arrangement Straight arrangement

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB	6	14	52.5	10.1	1416	arrangement Straight arrangement
YFFB	7	14	58	10.1	1602	arrangement Straight arrangement
YFFB	8	14	67.1	10.1	1842	arrangement Straight arrangement
YFFB	9	14	74.4	10.1	2055	arrangement Straight arrangement
YFFB	10	14	81.7	10.1	2268	arrangement Straight arrangement
YFFB	11	14	87.2	10.1	2454	arrangement Straight arrangement
YFFB	12	14	94.5	10.1	2667	arrangement Straight arrangement
YFFB	13	14	101.8	10.1	2880	arrangement Straight arrangement
YFFB	24	14	95.5	10.1	5248	Plum blossom arrangement Straight arrangement
YFFB (G)	2	14	26.9	10.1	672	arrangement (with wire)
YFFB (G)	3	14	34.2	10.1	885	arrangement (with wire)
YFFB (G)	4	14	45.1	10.1	1151	arrangement (with wire)
YFFB (G)	5	14	52.4	10.1	1364	arrangement (with wire)
YFFB (G)	6	14	59.7	10.1	1577	arrangement (with wire)
YFFB (G)	7	14	67	10.1	1790	arrangement (with wire)
YFFB (G)	8	14	76.1	10.1	2029	arrangement (with wire)
YFFB (G)	9	14	83.4	10.1	2242	arrangement (with wire)
YFFB	2	16	9.1	10.7	539.4	arrangement Straight arrangement
YFFB	3	16	27	10.7	778.3	arrangement Straight arrangement
YFFB	4	16	38.5	10.7	1074	arrangement Straight arrangement

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB	5	16	46.4	10.7	1313	arrangement Straight arrangement
YFFB	6	16	56.1	10.7	1580	arrangement Straight arrangement
YFFB	7	16	62.2	10.7	1790	arrangement Straight arrangement
YFFB	8	16	71.9	10.7	2057	arrangement Straight arrangement
YFFB	99	16	79.8	10.7	2296	arrangement Straight arrangement
YFFB	10	16	87.7	10.7	2535	arrangement Straight arrangement
YFFB	11	16	93.8	10.7	2746	arrangement Straight arrangement
YFFB	12	16	101.7	10.7	2985	arrangement Straight arrangement
YFFB	24	16	102.7	26.5	5897	Plum blossom arrangement Straight arrangement
YFFB (G)	2	16	28.1	10.7	734.8	arrangement (with wire)
YFFB (G)	3	16	36	10.7	973.6	Single row arrangement (with wire)
YFFB (G)	4	16	47.5	10.7	1269	Single row arrangement (with wire)
YFFB (G)	5	16	55.4	10.7	1508	Single row arrangement (with wire)
YFFB (G)	6	16	63.3	10.7	1747	Single row arrangement (with wire)
YFFB (G)	7	16	71.2	10.7	1986	Single row arrangement (with wire)
YFFB (G)	8	16	80.9	10.7	2253	Single row arrangement (with wire)
YFFB (G)	9	16	88.8	10.7	2491	Single row arrangement (with wire)
YFFB	2	25	23.4	12.8	790.5	Single row arrangement
YFFB	3	25	33.2	12.8	1145	Single row arrangement
YFFB	4	25	47	12.8	1575	Single row arrangement

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB	5	25	56.8	12.8	1929	arrangement Single row arrangement
YFFB	6	25	68.6	12.8	2322	Single row arrangement
YFFB	7	25	76.4	12.8	2639	Single row arrangement
YFFB	8	25	88.2	12.8	3031	Single row arrangement
YFFB	9	25	98	12.8	3385	Single row arrangement
YFFB (G)	2	25	34.6	12.8	1091	Single row arrangement (with wire)
YFFB (G)	3	25	44.4	12.8	1445	Single row arrangement (with wire)
YFFB (G)	4	25	58.2	12.8	1875	Single row arrangement (with wire)
YFFB (G)	5	25	68	12.8	2230	Single row arrangement (with wire)
YFFB (G)	6	25	77.8	12.8	2584	Single row arrangement (with wire)
YFFB (G)	7	25	87.6	12.8	2939	Single row arrangement (with wire)
YFFB	2	35	28.6	15.2	1134	Single row arrangement
YFFB	3	35	40.6	15.2	1645	Single row arrangement
YFFB	4	35	56.6	15.2	2245	Single row arrangement
YFFB	5	35	68.6	15.2	2755	Single row arrangement
YFFB	6	35	82.6	15.2	3311	Single row arrangement
YFFB	7	35	92.6	15.2	3777	Single row arrangement
YFFB (G)	2	35	40.2	15.2	1482	Single row arrangement (with wire)
YFFB (G)	3	35	52.2	15.2	1993	Single row arrangement (with wire)
YFFB	4	35	68.2	15.2	2593	Single row arrangement

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
(G)						arrangement (with wire)
YFFB (G)	5	35	80.2	15.2	3104	Single row arrangement (with wire)
YFFB (G)	6	35	92.2	15.2	3615	Single row arrangement (with wire)
YFFB	2	50	35.2	17.4	1600	Single row arrangement
YFFB	3	50	51.4	17.4	2360	Single row arrangement
YFFB	4	50	67.6	17.4	3119	Single row arrangement
YFFB	5	50	81.8	17.4	3828	Single row arrangement
YFFB	6	50	96	17.4	4536	Single row arrangement
YFFB (G)	2	50	46.8	17.4	1986	Single row arrangement (with wire)
YFFB (G)	3	50	63	17.4	2746	Single row arrangement (with wire)
YFFB (G)	4	50	79.2	17.4	3505	Single row arrangement (with wire)
YFFB	2	70	38.8	19.4	2077	Single row arrangement
YFFB	3	70	56.8	19.4	3071	Single row arrangement
YFFB	4	70	74.8	17.4	4065	Single row arrangement
YFFB	5	70	90.8	17.4	5002	Single row arrangement
YFFB (G)	2	70	50.4	19.4	2497	Single row arrangement (with wire)
YFFB (G)	3	70	68.4	19.4	3491	Single row arrangement (with wire)
YFFB (G)	4	70	86.4	19.4	4485	Single row arrangement (with wire)
YFFB	2	95	43	21.6	2675	Single row arrangement
YFFB	3	95	63	21.6	3959	Single row arrangement

Type	No of cores	Specification	Width (mm)	Thickness (mm)	Approximate weight (kg/km)	Product general shape
YFFB	4	95	83	21.6	5244	Single row arrangement
YFFB	5	95	101	21.6	6466	Single row arrangement
YFFB (G)	2	95	54.6	21.6	3132	Single row arrangement (with wire)
YFFB (G)	3	95	74.6	21.6	4417	Single row arrangement (with wire)
YFFB (G)	4	95	94.6	21.6	5701	Single row arrangement (with wire)